

2526 : Flaring pliers



ADVANTAGES:

REDUCED OPERATING EFFORT DUE TO: an efficient demultiplication mechanism,

long, rigid handles,

a tapered expansion point,

high quality expansion heads, (6 detachable, self-centring segments, a long flaring length efficient protection against oxidation).

Lightweight alloy pliers with high-strength T-profile handles. Quick-change expander heads (1 per diameter).

Design of lever mechanism guarantees extraction of the head after flaring. Ergonomic solvents and grease-resistant polypropylene grips. High quality appearance and finish.

DESCRIPTION	KG	REF
Ø 12, 14, 16, 18, 22 MM	2,120	252641
Ø 12, 15, 18, 22 MM	2,030	252642
Ø 15, 22, 28 MM	2,040	252643
Ø 12, 14, 16, 18, 22, 28, 32 MM	2,500	252644
Ø 18, 22, 28 MM	2,750	252647
Ø 12, 15, 18, 22, 28 MM	2,200	252679
Ø 3/8, 1/2, 5/8, 3/4, 7/8"	2,300	252637
Ø 3/8, 1/2, 5/8, 3/4"	2,170	252645
Ø 1/2, 5/8, 3/4, 7/8"	2,170	252648
Ø 3/8, 1/2, 5/8, 3/4, 7/8, 1.1/8"	2,170	252651
Ø 1/2, 5/8, 3/4, 7/8, 1.1/8"	2,485	252664
Ø 3/8, 1/2, 5/8, 3/4, 7/8, 1, 1.1/8"	2,485	252681
PLIERS ONLY	0,710	252600
OLIERS + CASE	1,710	252640

2526 : Flaring tool



Expansion tool ensuring high quality results thanks to: - 6 detachable, self-centring segments, - a long flaring

length, - efficient protection against oxidation.

TIP : Flaring heads for 1.5 mm thick copper pipe: Identical flaring length to that of tools for 1 mm thick pipes. The difference is simply due to the fact that the tool has a smaller diameter because the pipe is thicker. The passage for the tip is therefore narrower, meaning that it begins to act on the pipe sooner.

PIPE O.D. "	PIPE O.D. MM	PIPE WALL THICKNESS	KG	REF
-	8	1 MM	0,125	252601
-	10	1 MM	0,130	252602
-	12	1 MM	0,120	252603
-	14	1 MM	0,130	252604
-	15	1 MM	0,130	252605
-	16	1 MM	0,130	252606
-	18	1 MM	0,140	252607
-	20	1 MM	0,145	252608
-	22	1 MM	0,155	252609
-	25	1 MM	0,175	252610
-	28	1 MM	0,190	252611
-	32	1 MM	0,230	252612
-	35	1 MM	0,255	252613
-	36	1 MM	0,265	252614
-	40	1 MM	0,305	252615
-	42	1 MM	0,325	252616
3/8	-	1 MM	0,130	252622
1/2	-	1 MM	0,125	252623
5/8	-	1 MM	0,130	252624
3/4	-	1 MM	0,140	252625
7/8	-	1 MM	0,155	252626
1	-	1 MM	0,175	252627
1.1/8	-	1 MM	0,180	252628
1.1/4	-	1 MM	0,210	252632
1.3/8	-	1 MM	0,210	252633
1.1/2	-	1 MM	0,210	252634
1.5/8	-	1 MM	0,210	252635
-	22	1,5 MM	0,144	252665
-	28	1,5 MM	0,178	252667
-	35	1,5 MM	0,238	252668
-	42	1,5 MM	0,306	252669

2534 : Expansion pliers PEX



ADVANTAGES:

- Lightweight, - Very strong, - Practical, -Quick tool change, -Effort-reducing mechanism, - Ergonomic polypropylene grips.

Capacity: Ø 12 to 32 mm.

For PER serie 5 pipes. Expansion head: 4 tools available Ø 12, 16/20,25 and 32 mm.

Supplied in a plastic case.

DESCRIPTION	KG	REF
Ø 16, 20, 25, 32 MM	2,020	253401
Ø 12, 16, 20 MM	3,300	253402
Ø 12, 16, 20, 25, 32 MM	2,400	253403
PLIER ONLY	0,720	253480
CASE ONLY	0,840	253481